









The gas hob with a stainless-steel surface design and adjustable FlameSelect.

- $\sqrt{}$ FlameSelect Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 steps. Always the same reliable and precise power levels for outstanding cooking convenience.
- $\sqrt{}$ Powerful cooking at up to 4 kW.
- $\sqrt{\,}$ Continuous cast-iron pan supports for maximum stability and cooking convenience.

Features

Technical Data

Product name/family : gas hob w integrated controls

Construction type : Built-in Energy input : Gas

Total number of positions that can be used at the same time : 5 Required niche size for installation (HxWxD) : $45 \times 560-562 \times 10^{-2}$

480-492

Width of the product (mm): 750

Dimensions of the product (mm) : $45 \times 750 \times 520$

Dimensions of the packed product (HxWxD) (mm) : $145 \times 793 \times 597$

Net weight (kg): 12.135 Gross weight (kg): 14.0 Residual heat indicator: without Location of control panel: Hob front Basic surface material: Stainless steel Color of surface: Stainless steel Color of frame: Stainless steel Approval certificates: CE

Length of electrical supply cord (cm): 100

EAN code : 4242004203506 Electrical connection rating (W) : 1 Gas connection rating (W) : 11500

Current (A) : 3 Voltage (V) : 220-240 Frequency (Hz) : 60; 50



N 70 T27DS59N0 75 CM, HOB, STAINLESS STEEL

Features

Design

• Stainless steel

Special features

- FlameSelect with 9 steps
- Design co-ordinated control dials
- Ignition via control dials
- black cast iron pan supports with protective rubber feet

Power and size:

- 5 burner hob
- Dual control burner
- 4 gas + wok (Center)
- Left rear: Standard burner 1.75 KW
- Right rear: High speed burner 3 KW
- Center: Wok burner 4 KW
- Left front: Economy burner 1 KW
- Right front: Standard burner 1.75 KW

Safety Features

- Flame failure safety device
- \bullet Factory set for connection to mains gas

Technical information

Accessories

• LPG jets (28-30/37mbar) included

Dimensioned drawings

