

## iQ300, Washer dryer, 7/4 kg WK14D322GB



iQ 300 Built-in WasherDryer with waterPerfect load detection for water-saving laundry care.

 $\checkmark$  High load capacity for wash loads up to 7 kg and dry loads up to 4 kg.

#### Featu

### **Technical Data**

Construction type : Free-standing Removable work top : No

Door hinge : Left

Length of electrical supply cord (cm) : 220 Height of removable worktop (mm) : 820 Dimensions of the product (mm) : 820 x 595 x 580

Net weight (kg): 80.791 Drum volume (l): 52 EAN code: 4242003876831 Connection rating (W): 2300

Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50

Approval certificates : CE, G-Mark, VDE

Energy consumption (wash and dry of full wash load) (kWh): 5.60

Energy consumption (wash only) (kWh): 1.33

Water consumption (wash and dry full wash load) (I): 92



Ontional accessories

WX975600



## iQ300, Washer dryer, 7/4 kg WK14D322GB

#### Features

#### Performance

- Label: Energy efficiency B at a range of energy efficiency classes from A to G / Washing performance A
- Capacity: 7 kg washing, 4 kg drying
- Non-stop wash and dry programme 4 kg
- Maximum spin speed :1355 rpm\*\*
- Energy consumption wash and dry 5.6 kWh Water consumption wash and dry 92 litres
- Drum volume: 52 litres
- Noise level: washing 52 DB dB (re 1pW) Noise level: spinning 72 DB dB (re 1pW)

#### Programmes/functions

- Special programmes: 30°C, 40°C, rinse/spin, fluff clean, drain / spin, handwash/wool, handwash/wool, delicates/silk programme
- Special programme drying: fluff removal cycle
- Buttons: start, spin speed selection, change, menu, drying time selection and 24 hour time delay start time delay
- and time selection options

## **Key features**

- Fully electronic control dial for all wash and special programmes
- Reload facility

#### **Additional features**

- Display for programme progress indication, time remaining and 24 hours time delay
- Aquatronic wash system
- autoLoad
- Foam detection system
- Out of balance load adjustment
- Electronic child safety package
- End of cycle buzzer
- hydroSecure


## **Technical Information**

- Fully integrated
- White door with 180° opening door and 30 cm porthole opening
- Left hinged door
- Dimensions (H X W X D): 82 x 59.5 x 56 cm
- adjustable base height: 16.5 cm
- adjustable base depth: 6 cm
- \*\* Values are rounded.





# iQ300, Washer dryer, 7/4 kg WK14D322GB


#### Dimensioned drawings




Measurements in mm







Z detail



Measurements in mm