

**Serie | 6, American side by side, 178.7
x 90.8 cm, Inox-easyclean
KAG93AIEPG**



A++

**The NoFrost side-by-side fridge-freezer with
indoor electronics: provides a modern door
display**

- **Ice dispenser:** dispenses ice cubes at the push of a button.
- **Extra Large size:** provides much more space for your food.
- **MultiBox:** transparent drawer with wave bottom, ideal for the storage of fruits and vegetables
- LED lights bring a completely new lighting concept to fridges
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.

Technical Data

Construction type :	Free-standing
Door panel options :	Not possible
Height (mm) :	1787
Width of the product (mm) :	908
Depth of the product :	707
Net weight (kg) :	120.990
Connection rating (W) :	240
Current (A) :	13
Door hinge :	Left & Right
Voltage (V) :	220-240
Frequency (Hz) :	50-60
Approval certificates :	CE
Length of electrical supply cord (cm) :	200
Storage Period in Event of Power Failure (h) :	8
Number of compressors :	1
Number of independent cooling systems :	1
Interior ventilator :	No
Reversible Door Hinge :	No
Number of Adjustable Shelves in fridge compartment (Stck) :	0
Shelves for Bottles :	Yes
EAN code :	4242005192267
Brand :	Bosch
Product name / Commercial code :	KAG93AIEPG
Energy efficiency rating :	A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :	343.00
Refrigerator Net capacity (l) - NEW (2010/30/EC) :	366
Freezer Net capacity (l) - NEW (2010/30/EC) :	165
Frost free system :	Fridge and freezer
Temperature rise time (h) :	8
Freezing capacity (kg/24h) - NEW (2010/30/EC) :	13
Climate class :	SN-T
Noise level (dB(A) re 1 pW) :	42
Installation type :	N/A



4 242005 192267

Serie | 6, American side by side, 178.7 x 90.8 cm, Inox-easyclean KAG93AIEPG

The NoFrost side-by-side fridge-freezer with indoor electronics: provides a modern door display

- KAG93AIEPG
- No Frost, American-style fridge freezer
- High-door design Stainless Steel EasyClean

Performance and Consumption

- Energy Efficiency Class: A++
- Energy consumption: 343 kWh kWh/yr.
- Total net capacity: 531 l litres
- Noise level dB(A) re 1 pW: 42

Functions

- Stainless Steel EasyClean doors and grey side panels
- Aluminium Vertical door handle
- Bright interior LED fridge light

Design features

- No Frost, never have to defrost ever again
- In-door electronic LCD display of fridge and freezer temperatures
- Separate temperature control for cooling and freezing section
- Super Cooling: automatic deactivation
- SuperFreezing function with automatic deactivation
- Optical and accoustical

Ice and Water

- Illuminated water and ice dispenser
- Automatic ice cube maker
- Internal water filter

Design features

- MultiAirflow system - improves circulation of air around the fridge
- 5 safety glass shelves of which 0 are height adjustable
- 3 removable door storage compartments.

Freshness System

- 2 MultiBox drawers on rails - Transparent drawers with a corrugated bottom, ideal for storing fruits and vegetables.

Food freshness system

- Net capacity freezer 165 l
- Freezing capacity in 24 hours: 13 kg
- Maximum freezer storage time in power failure: 8 hours
- 2 freezer drawers
- 3 door trays in the freezing compartment

Key features - Fridge section

- 4 height adjustable feet
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)

Dimension and installation

- Dimensions: 178.7 cm H x 90.8 cm W x 70.7 cm D
- 220 - 240 V

Key features - Freezer section

- 1 x connection hose, 3 x egg tray

Included accessories

Country Specific Options


- Gross capacity, total: 598 l
- Gross capacity cooling 378 l
- **** freezer (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features


Dimension and installation

Additional features

Serie | 6, American side by side, 178.7 x 90.8 cm, Inox-easyclean KAG93AIEPG



Chilling drawers can be pulled out completely at a door opening angle of 135°



x1 (unit depth)	a	b	c
	762	100	50-70
x2 (wall)	75	418	

Leave a clearance of min. 100 mm above the appliance. Observe minimum clearances as seen above

