

Serie | 4, French door bottom freezer, multiDoor, 183 x 91 cm, Inoxeasyclean KFN96VPEAG





The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **NoFrost:** you'll never have to defrost your fridge-freezer again.
- XXL capacity: extra space for your food when you need it.
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **SuperCooling:** cools new food placed inside faster, thus protecting already cooled food.
- LED lights bring a completely new lighting concept to fridges

Technical Data

A G E

> Energy Efficiency Class: E Average annual energy consumption in kilowatt hour per year (kWh/a): 333 kWh/annum Sum of volume of frozen compartments: 200 l Sum of volume of chill compartments: 405 l Airborne acoustical noise emissions : 38 dB(A) re 1 pW Airborne acoustical noise emission class: C Construction type: Free-standing Door panel options: Not possible Width of the appliance: 910 mm Depth of the product: 731 mm Net weight: 115.456 kg Fuse protection: 10 A Door hinge: Left & Right Voltage: 220-240 V Frequency: 50-60 Hz Approval certificates: CCC Length of electrical supply cord: 240 cm Storage Period in Event of Power Failure (h): 15 h Number of compressors: 1 Number of independent cooling systems: 1 Interior ventilator: Yes Reversible Door Hinge: No Number of Adjustable Shelves in fridge compartment (Stck): 2 Shelves for Bottles: No Installation type: N/A Type of hinge: Flush-folding





Serie | 4, French door bottom freezer, multiDoor, 183 x 91 cm, Inox-easyclean KFN96VPEAG

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 605 l
- Net Fridge Volume : 405 l
- Net Freezer Volume : 200 l
- Freezing capacity 24h : 13 kg
- Annual Energy Consumption: 333 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 38 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 15 H
- No Frost, Free-standing-refrigerator >= 3 door

Design features

- Standard door Stainless Steel EasyClean
- Standard door Stainless Steel EasyClean door and chrome inox metallic side panels.
- Electronic control for fridge and freezer with LED display
- Interior design with metal applications

Functions

- Super Cooling: automatic deactivation
- Automatic defrost fridge
- Sabbath Mode
- optical, Optical and acoustical door open warning
- Freezer malfunction warning signal: optical, acoustical

Food freshness system

- MultiAirflow system improves circulation of air around the fridge
- 1 VitaFresh drawer Fish and meat stay fresh for longer
- 1 CrisperBox vegetable/salad container with humidity control

Dimension and installation

- Dimensions: 183 cm H x 91 cm W x 73.1 cm D
- 4 wheels for easier transport, 3 of them height adjustable.
- **-** 220 240 V

Key features - Fridge section


- Bright interior LED fridge light
- 3 safety glass shelves of which 2 are height adjustable, Standard shelf 2 shelves extendable
- Bright interior LED fridge light
- Door shelves in fridge door: 2 large and 2 small.
- 1 dairy compartment in door
- 2 removable door storage compartments.
- 3 safety glass shelves (2 height adjustable)
- White glossy back wall

Key features - Freezer section


- No Frost
- Freezer malfunction warning signal: Acoustic Warning System
- Net 4* compartment volume : 200 l
- 6 freezer drawers
- 1 ice cube tray
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.



Serie | 4, French door bottom freezer, multiDoor, 183 x 91 cm, Inox-easyclean KFN96VPEAG



 A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended
B: Add 25 for fixed spacers on back



A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended

measurements in mm

