

iQ500, Built-under fridge with freezer section, 82 x 60 cm, flat hinge KU15LAFF0G









Included accessories

- 1 x egg tray
- 1 x ice cube tray

undercounter fridge with handy covered fruit and Fresh Box in the very efficient EEC A++.

- ✓ LED light Ample, even lighting helps you check what's in your fridge faster.
- ✓ Additional space for fruit and vegetables: they stay crispy in the 2 Fresh Boxes with wavy bottom.
- ✓ superFreezing Quick-freeze even large amounts of food.
- ✓ The safetyGlass shelves are of extra strong, easy-cleaning safety glass.
- ✓ The superFreezing button reduces the temperature for a set time, to quickly freeze newly added food items.

Feature

Technical Data

Energy Efficiency Class: F

Average annual energy consumption in kilowatt hour per year (kWh/a):

180 kWh/annum

Sum of volume of frozen compartments: 15 l Sum of volume of chill compartments: 108 l

Airborne acoustical noise emissions : 38 dB(A) re 1 pW

Airborne acoustical noise emission class: C

Construction type: Built-in

Door panel options: Possible but accessory

Height: 820 mm

Width of the appliance: 598 mm Depth of the product: 548 mm

Required niche size for installation (HxWxD): 820 x 600 x 550 mm

Net weight: 35.032 kg Connection rating: 90 W Fuse protection: 13 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz

Approval certificates: CE, G-Mark, VDE Length of electrical supply cord: 230 cm Storage Period in Event of Power Failure (h): 8 h

Number of compressors: 1

Number of independent cooling systems: 1

Interior ventilator: No Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 1

Shelves for Bottles: Yes EAN code: 4242003856918

Brand: Siemens

Product name / Commercial code: KU15LAFF0G

Product category: Refrigerator Frost free system: No Installation type: Built-under





iQ500, Built-under fridge with freezer section, 82 x 60 cm, flat hinge KU15LAFF0G

Feature

• Fully integrated

Functions

- Ventilation through plinth
- Easy clean interior
- Interior design with metal applications

Design features

- Electronic control (LED chain)
- 1 compressor/1 cooling circuit
- Automatic defrost in fridge section

Design features

- 2 safety glass shelves in fridge compartment of which 1 are height adjustable
- Full width pull out drawer
- Door shelves in fridge door: 1 large and 2 small.
- Bottle holder in x-deep door tray
- Bright interior LED fridge light

•

Freshness System

• 2 vegetable/salad containers

Food freshness system

• 1 hinged freezer compartment

• Ice box

Key features - Fridge section

- Height adjustable feet in the front
- Right hinged door, door reversible
- Connection value 90 W
- 220 240 V

Dimension and installation

- Niche Dimensions: 82 cm H x 60 cm W x 55 cm D
- Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D

Key features - Freezer section

• KU15LAFF0G

Design features

Dimension and installation

Additional features


Performance and Consumption

- EU19_EEK_D: F
- Total Volume : 123 l
- Net Fridge Volume : 108 l
- Net Freezer Volume : 15 l
- Net 4* compartment volume : 15 l
- Freezing capacity 24h : 3.4 kg
- Annual Energy Consumption: 180 kWh/a
- Climate Class: SN-ST
- Noise Level : 38 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 8 H



iQ500, Built-under fridge with freezer section, 82 x 60 cm, flat hinge KU15LAFF0G

Dimensioned drawings




* variable base/substructure height

Space for electrical connection next to the appliance on the left or right-hand side. Ventilation space in the base.

measurements in mm

measurements in mm Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

