iQ500, Built-in fridge with freezer section, 177.5 x 56 cm, flat hinge KI82LAFF0





Included accessories

2 x egg tray 1 x ice cube tray

coolEfficiency built-in fridge freezer with hyperFresh plus Box to keep fruit and vegetables fresh up to 2 times longer, plus varioShelf, in the highly efficient EEC A+++

- ✓ The hyperFresh plus Box with adjustable humidity keeps fruit and vegetables fresh for longer.
- ✓ LED light Ample, even lighting helps you check what's in your fridge faster.
- ✓ The easyAccess glass shelves make loading easier and give you a better view of your food items.
- ✓ The superCooling button reduces the temperature for a set time, to quickly cool down fresh food items.
- ✓ All freezer drawers and glass shelves can be removed easily. varioZone lets you organize the space flexibly.

Features

A ↑ G

Technical Data

Energy Efficiency Class: F Average annual energy consumption in kilowatt hour per year (kWh/a): 222 kWh/annum Sum of volume of frozen compartments: 34 l Sum of volume of chill compartments: 252 l Airborne acoustical noise emissions : 36 dB(A) re 1 pW Airborne acoustical noise emission class: C Construction type: Built-in Door panel options: Not possible Height: 1772 mm Width of the appliance: 558 mm Depth of the product: 545 mm Required niche size for installation (HxWxD): 1775.0 x 560 x 550 mm Net weight: 61.451 kg Connection rating: 90 W Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Approval certificates: CE, Ukraine, VDE Length of electrical supply cord: 230 cm Storage Period in Event of Power Failure (h): 16 h Number of compressors: 1 Number of independent cooling systems: 1 Interior ventilator: No Reversible Door Hinge: Yes Number of Adjustable Shelves in fridge compartment (Stck): 4 Shelves for Bottles: No EAN code: 4242003876046 Brand: Siemens Product name / Commercial code: KI82LAFF0 Product category: Refrigerator Frost free system: No Installation type: Full-integrated



iQ500, Built-in fridge with freezer section, 177.5 x 56 cm, flat hinge KI82LAFF0

Features

Functions

• Bright interior LED fridge light

Design features

- Electronic LED display
- VitaControl constant temperature by intelligent sensor technology - Constant temperature control by intelligent sensor technology
- Automatic defrost in fridge section
- Acoustic open door warning system

Design features

- 5 safety glass shelves (4 height adjustable)
- 5 door trays, including 1x dairy compartment

Freshness System

- 1 x hydroFresh drawer humidity controlled vegetable/salad container on telescopic rails for prolonged storage
- 1 x humidity controlled vegetable/salad drawer on telescopic rails
- •
- 1 x hydroFresh drawer humidity controlled vegetable/salad container on telescopic rails for prolonged storage
- 1 x humidity controlled vegetable/salad drawer on telescopic rails
- •

Food freshness system

- 1 hinged freezer compartment
- 1 removable shelf of safety glass
- Ice box

Dimension and installation

- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- \bullet Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D
- Key features Fridge section
- Right hinged door, door reversible
- Connection value 90 W
- 220 240 V

Key features - Freezer section

• 3 x egg tray, 2 x ice cube tray

Country Specific Options

 Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features


Dimension and installation


Additional features

Performance and Consumption

- EU19_EEK_D: F
- Total Volume : 286 I
- Net Fridge Volume : 252 l
- Net Freezer Volume : 34 l
- Net 4* compartment volume : 34 l
- Freezing capacity 24h : 4 kg
- Annual Energy Consumption: 222 kWh/a
- Climate Class: SN-ST
- Noise Level : 36 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 16 H

iQ500, Built-in fridge with freezer section, 177.5 x 56 cm, flat hinge KI82LAFF0






Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.


T: Includes height	undamped	damped
of appliance door	hinge,	hinge,
Hinges in mm:	Door in kg:	Door in kg:
1500-1750	22	22

measurements in mm

Recommended gap dimensions for flat hinges



The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.



Maximal permissible weight of the unit fronts Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges. A Weight

Appliance door height including hinges in mm Undamped hinge, unit front in kg



iQ500, Built-in fridge with freezer section, 177.5 x 56 cm, flat hinge KI82LAFF0

