


# iQ100, Induction hob, 60 cm, Black EH645FEB1E







#### Optional accessories

HZ9SE030 Set of 2 pots and 1 pan

#### The induction cooktop – faster, safer, cleaner, more efficient cooking.

- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ powerBoost Increases the power of an induction zone by up to 50%.
- ✓ Timer with cooking zone shut-off function
- ✓ The child safety lock safely prevents unintentional switch-on.
- ✓ More energy efficient cooking thanks to the Energy Consumption Display.

#### **Feature**

#### **Technical Data**

Product name/family: Cooking zone ceramic

Construction type : Built-in Energy input : Electric

Total number of positions that can be used at the same time : 4 Required niche size for installation (HxWxD) : 55 x 560-560 x 490-500

mm

Width of the appliance : 583 mm Dimensions : 55 x 583 x 513 mm

Dimensions of the packed product (HxWxD): 126 x 753 x 603 mm

Net weight : 12.139 kg Gross weight : 13.3 kg

Residual heat indicator : Separate
Location of control panel : Hob front
Basic surface material : Ceramic
Color of surface : Black, Stainless steel
Color of frame : Stainless steel
Approval certificates : AENOR, CE
Length of electrical supply cord : 110 cm

EAN code : 4242003716175 Electrical connection rating : 7400 W

Voltage: 220-240 V Frequency: 50; 60 Hz





## iQ100, Induction hob, 60 cm, Black EH645FEB1E

#### Features

#### Design

- All around trim
- 60 cm: space for 4 pots or pans.

#### Flexibility of cooking zones

- Cooking zone front left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear right: 145 mm , 1.4 KW (max power 2.2 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

#### Usage convenience

- touchSlider control: directly control the power with the imprinted touch bar
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Timer for all zones
- : switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Acoustic signal
- $\bullet$  : an alarm sounds at the end of the time set (e.g. for pasta).

### Time saving & efficiency

- Power boost setting
- : boil water faster thanks to 50% more energy than at the highest standard level.
- quickStart function: when switching on, the hob automatically selects the cooking zone with cookware (when placed on a zone whilst the hob is off).
- reStart function: in case of unintentional switch-off, this feature restores all previous settings by switching on the hob again within 4 seconds.

#### Safety

- 2 stage residual heat indicators: indicates which cooking zones are still hot or warm.
- Control panel lock: prevent unintended activation of the hob.
- Control panel pause: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Automatic safety switch off: for safety reasons, heating stops after a preset time if not used (possible to customise).
- Energy Consumption Display: shows the electricity consumption of the last cooking process.

### Installation

- Dimensions of the product (HxWxD mm): 55 x 583 x 513
- Required niche size for installation (HxWxD mm): 55 x 560 x (490 500)
- Min. worktop thickness: 16 mm
- Connected load: 7.4 KW
- Connection current management (20, 16, 13, 10 Amps options): limit the maximum power if needed (depends on fuse protection of electric installation).
- Power cord: 1.1 m, Cable included in packaging



# iQ100, Induction hob, 60 cm, Black EH645FEB1E

