


Serie | 2, Electric hob, 60 cm, Black PKE611CA1E



Optional accessories HEZ9SE030 : Set of 2 pots and 1 pan

Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.

- Side control dials for easy power level selection.
- Ceramic glass is much more slim and durable with better vertical conduction.
- Precise Temperature Control for Better Cooking Results
- Residual Heat Indicator Warns if Cooktop is Warm or Hot

Technical Data

Product name/family : Cooking zone ceramic Construction type : Built-in Energy input : Electric Total number of positions that can be used at the same time : 4 Required niche size for installation (HxWxD) : 46 x 560-560 x 490-500 mm Width of the appliance : 592 mm Dimensions : 46 x 592 x 522 mm Dimensions of the packed product (HxWxD) : 100 x 750 x 590 mm Net weight : 7.460 kg Gross weight : 8.3 kg Residual heat indicator : Separate Location of control panel : Hob lateral Basic surface material : Ceramic Color of surface : Black Approval certificates : CE, Ukraine, VDE EAN code : 4242002936406 Electrical connection rating : 6600 W Voltage : 220-240 V Frequency : 60; 50 Hz





Serie | 2, Electric hob, 60 cm, Black PKE611CA1E

Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.

Design

- **-** 592 mm
- Frameless design

Special features

- Front mounted controls
- Sword knobs
- 4 zone Quick-Therm hob
- Variable 9-stage power settings for each zone

Safety Features

- Residual heat indicator for each zone

Technical information


- Appliance dimensions: (W/D) 592 mm x 522 mm
- Installation dimensions: (ID/W/D) 46 mm x 560 mm x 490 mm
- Min. worktop thickness: 16 mm

Power and size

- Total connected load: 6600 W
- Cooking zones: 1 x Ø 145 mm, 1.2 KW; 1 x Ø 210 mm, 2.2 KW; 1 x Ø 180 mm, 2 KW; 1 x Ø 180 mm, 2 KW



Serie | 2, Electric hob, 60 cm, Black PKE611CA1E



- A: Minimum distance from the hob cut-out to the wall.
 B: Recessed depth
 C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.