

## iQ500, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HR578G5S6B



Shorten your cooking time thanks to fast preheat, coolStart and activeClean. And remote control your oven from anywhere with Home Connect.

- ✓ fastPreheat – Heat the oven quickly. coolStart – Eliminate preheating for frozen foods.
- ✓ activeClean® – The automatic, self-cleaning oven system.
- ✓ The addedSteam function: for crispy crusts and juicy roasts.
- ✓ Home Connect – Experience the intelligent kitchen via app.
- ✓ cookControl30: automatic programs ensure best results.

### Features

#### Technical Data

Color / Material Front : Stainless steel  
Construction type : Built-in  
Integrated Cleaning system : Pyrolytic  
Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
Dimensions : 595 x 594 x 548 mm  
Dimensions of the packed product (HxWxD) : 660 x 690 x 660 mm  
Control Panel Material : Glass  
Door Material : Glass  
Net weight : 39.828 kg  
Usable volume of cavity : 71 l  
Cooking method : Conventional heat, Full width grill, Hot Air, Hotair gentle, Hot air grilling, Pizza setting  
First cavity material : Other  
Oven control : electronic  
Number of interior lights : 1  
Approval certificates : CE, VDE  
Length of electrical supply cord : 120 cm  
EAN code : 4242003856178  
Number of cavities (2010/30/EC) : 1  
Energy efficiency rating : A  
Energy consumption per cycle conventional (2010/30/EC) : 0.99 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC) : 0.81 kWh/cycle  
Energy efficiency index (2010/30/EC) : 95.3 %  
Connection rating : 3600 W  
Fuse protection : 16 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Plug type : no plug

### Included accessories

2 x combination grid  
1 x universal pan

### Optional accessories

HZ915003	Glass roasting dish, 5,4 L
HZ66X650	Cover Strip
HZ638300	3 level telescopic rails, full ext
HZ634000	Baking and roasting grid (standard)
HZ538000	varioClip rail
HZ531010	Baking tray, non-stick ceramic coated
HZ531000	Baking tray, grey enamelled



4 242003 856178

## iQ500, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HR578G5S6B

### Features

#### Design

- LCD Display (White)
- lightControl: intuitive operation thanks to the illuminated dials
- Cavity inner surface: enamel grey
- Drop down oven door, softClose, softOpen
- 
- Stainless steel control dial, lightControl: intuitive operation thanks to the illuminated dials, round
- Bar handle
- We recommend you to choose complementary products within iQ500, in order to assure an optimal design combination of your Built-In appliances.

#### Features

- Digital temperature display with proposal
- Heating-up indicator
- cookControl
- Automatic start
- Temperature probe
- 
- Electronic door lock
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Door contact switch
- 
- WLAN - Home connect enabled
- Automatic programmes
- cookControl, 30
- roastingSensor
- 
- Electronic oven clock timer
- Integral cooling fan
- Interior halogen light, Light on/off when door opened/closed
- 5 shelf positions in oven

#### Cleaning

- activeClean
- Full glass inner door

#### Programmes/functions

- Oven with 8 heating methods: 3D hot air, conventional top & bottom heating, hot air grilling, full width grill, Pizza setting, coolStart, Hotair gentle, reheating with steam
- Heating modes in combination with steam function: Hot air, Hot air grilling, Top/bottom heat
- Additional functions:
- Descaling programme
- 
- Fast preheat

#### Accessories

- 2 x combination grid, 1 x universal pan
- 1 varioClip rail, Stop function

#### Technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.99 kWh

- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity
- Heat source: electrical
- Cavity volume: 71 litres
- Water tank capacity: with a volume of 220ml
- Temperature range 30 °C - 275 °C
- Location of water tank: Outside cavity
- Total connected load electric: 3.6 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

## Dimensioned drawings

