


iQ500
EC6A5HC90
60 cm, hob, Stainless steel



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ This wok burner with 3.3 kW of power is ideal for a wide variety of foods, even in large quantities.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Comfortable usage due to high quality control dials.
- ✓ A Siemens hob with a uniquely beautiful stainless-steel surface design.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Source of energy : Gas
 Total number of positions that can be used at the same time : 4
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492
 Width (mm) : 582
 Dimensions of the product (mm) : 45 x 582 x 520
 Net weight (kg) : 11.0
 Gross weight (kg) : 12.0
 Residual heat indicator : without
 Control panel : Front
 Basic surface material : Stainless steel
 Color of surface : Stainless steel
 Color of frame : Stainless steel
 Approval certificates : CE
 Length of electrical supply cord (cm) : 100
 EAN code : 4242003742006
 Electrical connection rating (W) : 2
 Gas connection rating (W) : 8000
 Current (A) : 3
 Nominal power (kW) : 220-240
 Frequency (Hz) : 60; 50



iQ500
EC6A5HC90
60 cm, hob, Stainless steel

Features	
<p>Design</p> <ul style="list-style-type: none">• Easy to clean Stainless steel surface.• Cast iron pan supports• High efficiency burner set <p>Special features</p> <ul style="list-style-type: none">• Step Flame technology - 9 steps• Design co-ordinated control dials• Ignition via control dials <p>Power and size:</p> <ul style="list-style-type: none">• 4 burner gas hob including:• 3 gas + wok• Left rear: Standard burner 1.75 KW• Right rear: WOK burner 3.5 KW• Left front: Standard burner 1.75 KW• Right front: Economy burner 1 KW <p>Safety Features</p> <ul style="list-style-type: none">• Factory set for connection to mains gas• Flame failure safety device <p>Accessories</p> <ul style="list-style-type: none">• LPG jets (28-30/37mbar) included <p>Technical information</p> <ul style="list-style-type: none">• Power cord length 100 cm	

60 cm, hob, Stainless steel

Technical drawing of the oven cut-out showing top and side views with dimensions in mm.

Top View Dimensions:

- Overall width: 520 mm
- Overall height: 582 mm
- Top flange height: 53 mm
- Left side flange height: 45 mm
- Right side flange height: 56 mm
- Distance between gas connection points: 26 mm
- Distance from gas connection to right edge: 19-29 mm
- Inner width: 560^{+2}_{-0} mm
- Inner height: $480-490^{+0}_{-0}$ mm
- Distance from left edge to inner width start: *min. 100 mm
- Distance from inner width end to right edge: min. 50 mm
- Distance from inner height end to bottom edge: min. 600 mm
- Distance from bottom edge to bottom flange: ***min. 30 mm

Side View Dimensions:

- Bottom flange height: 26 mm
- Distance from gas connection to right edge: 19-29 mm

Legend:

- * Minimum distance from the hob cut-out to the wall
- ** Position of gas connection in the cut-out
- *** With fitted oven underneath, possibly more; see space requirements for the oven

measurements in mm