

CM 6560 MilkPerfection Countertop coffee machine With WiFiConn@ct, high-quality milk container and many speciality coffees.



- Creamy milk froth for a wide range of coffee specialities
- Perfect results and intense coffee flavour AromaticSystem
- Two coffees at once at the touch of a button OneTouch for Two
- Convenient cleaning and maintenance programmes
- Communication with the machine could not be easier – WiFi Conn@ct

EAN: 4002516362074 / Material number: 11590250 / Old Material Number: 29656013GB

Construction type and design	
Freestanding bean-to-cup coffee machine	•
Colour	Obsidian black PearlFinish
Convenience features	
AromaticSystem	•
OneTouch preparation	•
OneTouch for Two preparation	•
DoubleShot	•
Programmable User profiles	8
Aroma-friendly conical grinder	<u>-</u>
Selectable grinder setting	•
Additional coffee types in ground coffee form possible	•
Programmable amount of coffee	
Programmable amount of water	•
Programmable water temperature	•
	•
Amount of milk can be programmed  Programmable amount of milk froth	
0	_ <del>`</del>
Pre-brewing programmable TeaTimer	_ <del>`</del>
100111101	•
User convenience	
Networking with Miele@home	DirectSensor
Display  Deformance Mode	
PerformanceMode  Dillication in the	
BrilliantLight  Fire and read of the second	
Expert mode	•
Heated cup rest	<u>•</u>
MultiLingua	
No. of bean types	
No. of bean containers	1
Capacity of bean container A in g	300
Bean container capacity, total in g	300
Capacity of water container in I	1.8
Milk container capacity in I	0.7
Capacity of waste container in capsules	10
Drip tray capacity in I	0.8
Easily accessible containers	
Programmable standby time	
Programmable settings	·
Beverages	
Selectable beverage portion size in ml	20-300
Ristretto, single	<u> </u>
Ristretto, double	<u>•</u>
Espresso, single	
Espresso, double	
Coffee, single	
Coffee, double	<u>•</u>
Long coffee, single	•
Long coffee, double	•
Cappuccino, single	•
Cappuccino, double	•



CM 6560 MilkPerfection Countertop coffee machine With WiFiConn@ct, high-quality milk container and many speciality coffees.



EAN: 4002516362074 / Material number: 11590250 / Old Material Number: 29656013GB

Latte macchiato, single	
Latte macchiato, double	•
Hot milk, single	•
Latte macchiato, double	•
Milk froth, single	•
Milk froth, double	•
Espresso macchiato, single	•
Espresso macchiato, double	•
Cappuccino italiano, single	•
Cappuccino italiano, double	•
Flat white, single	•
Flat white, double	•
Café au lait, single	•
Café au lait, double	•
Caffè latte, single	•
Caffè latte, double	•
Warm water, single	•
Hot water, single	•
Black tea, single	•
Herbal tea, single	•
Fruit tea, single	•
Green tea, single	•
White tea	•
Japanese tea	•
Coffee pot	•
Efficiency and sustainability	
Energy-saving eco-mode selectable	•
Energy-saving eco-mode selectable  Power rating in standby mode in W	0.1
Power rating in standby mode in W	0.1
Power rating in standby mode in W Power rating in networked standby in W	0.1 0.5
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience	0.5
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling	
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the	0.5
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container	0.5
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes	•
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function	0.5 • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean	0.5 • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework	0.5 • • • • • • • • • • • • • • • • • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit	0.5 • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness	0.5 • • • • • • • • • • • • • • • • • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data	0.5  • • • • • • • • • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm	0.5  • • • • • • • 14.0
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm	0.5  • • • • • • • • • • • • • • 8.0
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Appliance width in mm	0.5  • • • • • • • • • • • 251
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm	0.5  • • • • • • • • • • • • 251 359
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance depth in mm	0.5  • • • • • • • • • • • • • • • • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance depth in mm Total rated load in kW	0.5  • • • • • • • • • • • • • • • • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Total rated load in kW Voltage in V	0.5  • • • • • • • • • • • • • 14.0 8.0 251 359 427 1.45 220-240
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Total rated load in kW Voltage in V Fuse rating in A	0.5  • • • • • • • • • • • • • 14.0 8.0 251 359 427 1.45 220-240 10
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Total rated load in kW Voltage in V Fuse rating in A Number of phases	0.5  • • • • • • • • • • • • • • • • • •
Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Total rated load in kW Voltage in V Fuse rating in A	0.5  • • • • • • • • • • • • • 14.0 8.0 251 359 427 1.45 220-240 10



CM 6560 MilkPerfection Countertop coffee machine With WiFiConn@ct, high-quality milk container and many speciality coffees.



EAN: 4002516362074 / Material number: 11590250 / Old Material Number: 29656013GB

Accessories supplied	
Stainless steel milk tube	•
Milk container made of glass	•
Voucher for CJ 1 coffee pot	•
Voucher for 4 x 250 g Black Edition ONE FOR ALL coffee beans	•
Descaling tablets	•
Cleaning tablets	•
Brief operating instructions on rear of unit	•
Available display languages	

Available display languages through MultiLingua

bahasa malaysia, dansk, deutsch, eesti, english, english (AU), english (CA), english (GB), english (US), español, français, français (CA), français (FR), hrvatski, italiano, latviesu, lietuviu, magyar, nederlands, norsk, polski, português, pyccκий, română, slovenčina, slovenščina, srpski, suomi, svenska, türkçe, українська, čeština, ελληνικά, , , , ,

,