

CM 6560 MilkPerfection Countertop coffee machine With WiFiConn@ct, high-quality milk container and many speciality coffees.



- Creamy milk froth for a wide range of coffee specialities
- Perfect results and intense coffee flavour AromaticSystem
- Two coffees at once at the touch of a button OneTouch for Two
- Convenient cleaning and maintenance programmes
- Communication with the machine could not be easier – WiFi Conn@ct

EAN: 4002516362067 / Material number: 11590240 / Old Material Number: 29656003GB

Construction type and design	
Freestanding bean-to-cup coffee machine	<u>•</u>
Colour	Graphite grey PearlFinish
Convenience features	
AromaticSystem	<u> </u>
OneTouch preparation	•
OneTouch for Two preparation	<u> </u>
DoubleShot	•
Programmable User profiles	8
Aroma-friendly conical grinder	•
Selectable grinder setting	•
Additional coffee types in ground coffee form possible	•
Programmable amount of coffee	•
Programmable amount of water	•
Programmable water temperature	•
Amount of milk can be programmed	•
Programmable amount of milk froth	•
Pre-brewing programmable	•
TeaTimer	•
User convenience	
Networking with Miele@home	•
Display	DirectSensor
PerformanceMode	•
BrilliantLight	•
Expert mode	•
Heated cup rest	•
MultiLingua	•
No. of bean types	1
No. of bean containers	1
Capacity of bean container A in g	300
Bean container capacity, total in g	300
Capacity of water container in I	1.8
Milk container capacity in I	0.7
Capacity of waste container in capsules	10
Drip tray capacity in I	0.8
Easily accessible containers	•
Programmable standby time	•
Programmable settings	•
Beverages	
Selectable beverage portion size in ml	20-300
Ristretto, single	•
Ristretto, double	•
Espresso, single	•
Espresso, double	•
Coffee, single	•
Coffee, double	•
Long coffee, single	•
Long coffee, double	•
Cappuccino, single	•
Cappuccino, double	•



CM 6560 MilkPerfection
Countertop coffee machine
With WiFiConn@ct, high-quality milk container and many speciality coffees.



EAN: 4002516362067 / Material number: 11590240 / Old Material Number: 29656003GB

Latte associate sizela	-
Latte macchiato, single	•
Latte macchiato, double	
Hot milk, single	
Latte macchiato, double	
Milk froth, single	
Milk froth, double	•
Espresso macchiato, single	•
Espresso macchiato, double	•
Cappuccino italiano, single	•
Cappuccino italiano, double	•
Flat white, single	•
Flat white, double	•
Café au lait, single	•
Café au lait, double	•
Caffè latte, single	•
Caffè latte, double	•
Warm water, single	•
Hot water, single	•
Black tea, single	•
Herbal tea, single	•
Fruit tea, single	•
Green tea, single	•
White tea	
	•
Japanese tea	- -
Coffee pot Efficiency and sustainability	•
	•
Energy-saving eco-mode selectable	0.1
Energy-saving eco-mode selectable Power rating in standby mode in W	0.1
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W	0.1 0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling	_ <u>-</u>
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes	•
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit	0.5 • • • • • • • • • • • •
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness	0.5
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data	0.5 • • • • • • • • • • • • • • • • • •
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm	0.5 • • • • • • • 14.0
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm	0.5 • • • • • • • • 14.0 8.0
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm	0.5 • • • • • • • • 14.0 8.0 251
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm	0.5 • • • • • • • • • • • • 251 359
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Appliance width in mm Appliance depth in mm	0.5 • • • • • • • • • • • • • • • • • •
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance depth in mm Total rated load in kW	0.5 • • • • • • • • • • • • • • • • • •
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance depth in mm Total rated load in kW Voltage in V	0.5 • • • • • • • • • • • • • 14.0 8.0 251 359 427 1.45 220-240
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Appliance depth in mm Total rated load in kW Voltage in V Fuse rating in A	0.5 • • • • • • • • • • • • • 14.0 8.0 251 359 427 1.45 220-240 10
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Total rated load in kW Voltage in V Fuse rating in A Number of phases	0.5 • • • • • • • • • • • • • • • • • •
Energy-saving eco-mode selectable Power rating in standby mode in W Power rating in networked standby in W Cleaning convenience Manual descaling Automatic rinsing of milk pipework with water from the water container Convenient cleaning programmes Automatic rinsing function ComfortClean Removable milk pipework Removable brew unit Programmable water hardness Technical data Height-adjustable serving spout in cm Appliance width in mm Appliance height in mm Appliance depth in mm Total rated load in kW Voltage in V Fuse rating in A	0.5 • • • • • • • • • • • • • 14.0 8.0 251 359 427 1.45 220-240 10



CM 6560 MilkPerfection Countertop coffee machine With WiFiConn@ct, high-quality milk container and many speciality coffees.



EAN: 4002516362067 / Material number: 11590240 / Old Material Number: 29656003GB

Accessories supplied	
Stainless steel milk tube	•
Milk container made of glass	•
Voucher for CJ 1 coffee pot	•
Voucher for 4 x 250 g Black Edition ONE FOR ALL coffee	•
beans	
Descaling tablets	•
Cleaning tablets	•
Brief operating instructions on rear of unit	•
Available display languages	
Available display languages through Multil ingua	babasa malaysia, danak

Available display languages through MultiLingua

bahasa malaysia, dansk, deutsch, eesti, english, english (AU), english (CA), english (GB), english (US), español, français, français (CA), français (FR), hrvatski, italiano, latviesu, lietuviu, magyar, nederlands, norsk, polski, português, русский, română, slovenčina, slovenščina, srpski, suomi, svenska, türkçe, українська, čeština, ελληνικά,