

## G 7150 SCVi

Fully integrated dishwashers  
with 3D MultiFlex tray for maximum convenience.



- Perfect results in less than one hour - QuickPowerWash
- Everything completely dry – AutoOpen drying
- Fresh water dishwashers – from 6.0 litres in the Automatic
- Very easy door opening and closing – ComfortClose
- Versatile and secure – ExtraComfort basket design

**A+++**

EAN: 4002516101901 / material number: 11091560

<b>Construction type</b>	
Fully integrated dishwasher	•
60 cm dishwasher	•
<b>Design</b>	
Colour	Stainless Steel.
Control panel version	Fully integrated fascia
Control type	Programme selector button
Display	1-line text display
Display colour	White
MultiLingua	•
<b>Convenience</b>	
Door closing aid	ComfortClose
Operating noise dB(A) re 1 pW	44
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	optical and acoustic
Display language selection	•
<b>Efficiency and sustainability</b>	
Energy efficiency class A+++ - D	A+++
More economical than the threshold value for energy efficiency rating A+++	10%
Drying class	A
Water consumption in the Automatic programme in l from	6.0
Water consumption in the ECO programme in l	8.9
Energy consumption in the ECO programme in kWh	0.75
Annual water consumption in the ECO programme in l	2,492
Annual energy consumption in ECO programme in kWh	213
Energy consumption in stand-by mode in W	0.3
EcoFeedback	•
EcoPower technology	•
Hot water connection	•
Half load	•
<b>Gentle treatment of crockery and glassware</b>	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
<b>Wash programmes</b>	
ECO	•
Automatic	•
Intensive 75 °C	•
Normal 60 °C	•
Gentle	•
QuickPowerWash	•
ExtraQuiet 40 dB(A)	•
Appliance care	•

G 7150 SCVi


Fully integrated dishwashers  
with 3D MultiFlex tray for maximum convenience.



<b>Dishwashing options</b>	
IntenseZone	•
Express	•
extra clean	•
extra dry	•
<b>Basket design</b>	
Cutlery loading	3D MultiFlex tray
FlexCare glass holder	2
FlexCare cup rack	1
Basket design	ExtraComfort
Number of place settings	14
<b>Safety</b>	
Waterproof system	•
Filter indicator light	•
<b>Technical data</b>	
Niche width in mm	600
Niche height in mm	805
Niche depth in mm	570
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	47.0
Total rated load in kW	2.0
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Length of water inlet hose in m	1.50
Length of water drain hose in m	1.50
Length of supply lead in m	1.80
Min. - max. front panel weight in kg	4.0
[can be retrofitted by Service]	8.0


## G 7150 SCVi

Fully integrated dishwashers  
with 3D MultiFlex tray for maximum convenience.



G7000, fully integrated dishwasher, 60cm (installation drawing)

- 1) Plinth height 35-155 mm
- 2) Plinth height 100-220 mm
- 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761)



G7000, fully integrated dishwasher, 60cm (installation drawing)