SIEMENS

iQ700 Brand Value Class: IQ700 Oven Single oven HB678GBS6B black, stainless steel HB678GBS6B







"The oven offers modern baking and roasting convenience for best results."

- ✓ TFT Touchdisplay Plus: clear text display and intuitive operation.
- ✓ 4D hotAir: flexible choice of shelf.
- ✓ roastingSensor Plus: simply reliable roasting.
- \checkmark activeClean: the automatic system for effortless cleaning.
- ✓ Connect: Access and control your oven, no matter where you are with the easy-to-use Home Connect App

eatures

Δ+

Technical Data

Color / Material Front : Stainless steel Design : Built-in Integrated Cleaning system : Pyrolytic Required niche size for installation (HxWxD) : 585 x 560 x 550 Dimensions of the product (mm) : 595 x 594 x 548 Control Panel Material : Stainless steel Door Material : Glass Net weight (kg): 47.0 Usable volume of cavity (I):71 Heating Types : , 4D hot air, Bottom heat, Conventional heat, Deepfrozen food special, Dehydrate, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, Intensive heat, low temperature cooking, Pizza setting, pre-heating, warming First cavity material : Enamelled Temperature control : electronic Number of interior lights : 3 Approval certificates : CE, VDE Length of electrical supply cord (cm) : 120 EAN code : 4242003746158 Number of cavities (2010/30/EC) : 1 Energy efficiency : A+: efficient Energy consumption per cycle conventional (2010/30/EC) : 0.87 Energy consumption per cycle forced air convection (2010/30/EC) : 0.69 Energy efficiency index (2010/30/EC) : 81.2 Electrical connection rating (W): 3600 Current (A): 16 Nominal power (kW) : 220-240 Frequency (Hz) : 50; 60 Plug type : no plug

Included accessories



Optional accessories

HZ6ICF0 Cookbook

1/3

SIEMENS

iQ700 Brand Value Class: IQ700 Oven Single oven HB678GBS6B black, stainless steel HB678GBS6B

Features

Design

- Stainless steel control dial
- Bar handle
- Drop down oven door, softClose, softOpen
- Cavity inner surface: Enamel anthracite

Key features

- activeClean cleaning
- bakingSensor roastingSensor Plus
- 5.7" TFT touchDisplay Plus
- Drop down oven door, softClose, softOpen
- TFT clearText display
- Digital temperature display with proposal Actual temperature display Heating-up indicator Sabbath setting
- Light on/off when door opened/closed
- Electronic door lock Control panel lock Automatic safety switch off Residual heat indicator start button Door contact switch
- Residual heat indicator
- Control panel lock
- Info button

Features

- Electronic oven clock timer
- Main on/off switch
- Full glass inner door
- 3 interior lights
- Multilevel LED Illumination, LED Illumination
- Multilevel LED Illumination, LED Illumination
- Smooth enamelled oven interior, Removable wire shelf support rails
- 5 shelf positions in oven
- Pyrolitic proof trayholder and baking tray
- Integral cooling fan

Programmes/functions

- Oven with 15 heating methods:
- 4D hot air, hotairEco, conventional oven, Conventional heat ECO, hot air grilling, full width grill, half width grill, intensive hot air, coolStart, bottom heat, intensive conventional heat, low temperature cooking, keep warm, dehydrate, plate warming
- Fast pre-heating function
- cookControl Plus

Performance/technical information

- 71 litres
- Stainless-steel fan
- \bullet Temperature range 30 °C 300 °C
- Maximum door temperature 30 °C
- Energy efficiency rating A+
- Energy efficiency rating (acc. EU Nr. 65/2014): Number of cavities: 1 Heat source: electrical Cavity volume: 71 litres
- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


Standard accessories

- 2 x combination grid, 1 x universal pan
- Pull out system: Easy fit shelf support rails with electronic link


SIEMENS

iQ700 Brand Value Class: IQ700 Oven Single oven HB678GBS6B black, stainless steel HB678GBS6B

Dimensioned drawings



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into acccount.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	fitted 37 mm	38 mm
Full surface induction hob	47 mm	48 mm
Gas hob	30 mm	34 mm
Electric hob	27 mm	30 mm

