Data sheet for household cooker hoods
In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

Model name / identifier DA 7006 D
Annual Energy Consumption (AEC)
(AEC _{Haube}) kWh/year 83,2
Energy efficiency class
Based on standard test results for 24 hours. Actual energy
consumption will depend on how the appliance is used and where
it is located.
Energy efficiency index (EEI)
(EEI _{Haube}) 95,3
Fluid Dynamic Efficiency (FDE) (FDE _{Haube}) 7,7
Fluid Dynamic Efficiency class
A (most efficient) to G (least efficient)
Lighting Efficiency (LE) (LE _{Haube}) Ix/W 64,4
Lighting Efficiency class
A (most efficient) to G (least efficient) Grease Filtering Efficiency A 95.3
Grease Filtering Efficiency % 95,3 Grease Filtering Efficiency class
A (most efficient) to G (least efficient)
Air flow (min. speed) m³/h 250
Air flow (max. speed) m ³ /h 500
Air flow (intensive or boost setting) m³/h 600
Max. air flow (Q) (Q_{max}) m^3/h 600
Air pressure at best efficiency point Pa 89
Airborne acoustical A-weighted sound power emissions
(min. speed) dB 55
Airborne acoustical A-weighted sound power emissions
(max. speed) dB 67
Airborne acoustical A-weighted sound power emissions (intensive or boost setting) dB 70
(intensive or boost setting) dB 70 Electrical power input at best efficiency point W 122,0
Power consumption in off mode (P _O) W 122,0 W
Power consumption in standby mode (P _s) W 0,15
Nominal power of lighting system W 9,0
Average illumination of the lighting system on the cooking
surface x 580
Time increase factor 1,7