

Serie | 2 Hoods
Classixx
Chimney extractor hood
DWW06W450B brushed steel

Wall mounted chimney hoods add style and sophistication to the kitchen and give you complete freedom in your kitchen planning.

- An impressive extraction rate of 390 m³/h ensures this hood will have your kitchen odour free in no time.
- Halogen lighting provides energy efficient and bright lighting of the hob area.

Technical Data

Color chimney :	Stainless steel
Typology :	Chimney
Approval certificates :	CE, VDE
Length of electrical supply cord (cm) :	130
Height of the chimney (mm) :	553-730/573-730
Height of product, without chimney (mm) :	246
Minimum distance above an electric hob :	550
Minimum distance above a gas hob :	650
Net weight (kg) :	8.0
Type of control :	mechanical
Number of speed settings :	3
Maximum output air extraction (m ³ /h) :	390
Maximum output recirculating air (m ³ /h) :	230
Number of lights (Stck) :	2
Noise level (dB) :	67
Diameter of air outlet (mm) :	150 / 120
Grease filter material :	Washable aluminium
EAN code :	4242002714141
Connection rating (W) :	155
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	GB plug
Installation type :	Wall-mounted


Optional accessories

- DHZ5275 : Recirculating kit
- DHZ6551 : Brushed steel back panel

Serie | 2 Hoods

Classixx

Chimney extractor hood DWW06W450B brushed steel

Wall mounted chimney hoods add style and sophistication to the kitchen and give you complete freedom in your kitchen planning.

Design

- 60 cm wide
- Designed for wall mounted installation
- Height adjustable chimney sections

Features

- Rocker switch control for extractor speeds and light
- 3 power levels
- 2 x 28W Light
- 2 removable metal grease filter cassettes

Performance/technical information

- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 67 dB (A) re 1pW (53 dB (A) re 20 µPa sound pressure)
- Extractor hose 120mm

Serie | 2 Hoods
Classixx
**Chimney extractor hood
DWW06W450B brushed steel**
