


## iQ500 EC6A5PB90 60 cm, hob, Stainless steel



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Comfortable usage due to high quality control dials.
- ✓ A Siemens hob with a uniquely beautiful stainless-steel surface design.

### Features

#### Technical Data

Product name/family : gas hob w integrated controls  
 Construction type : Built-in  
 Source of energy : Gas  
 Total number of positions that can be used at the same time : 4  
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492  
 Width (mm) : 582  
 Dimensions of the product (mm) : 45 x 582 x 520  
 Net weight (kg) : 10.0  
 Gross weight (kg) : 11.0  
 Residual heat indicator : without  
 Control panel : Front  
 Basic surface material : Stainless steel  
 Color of surface : Stainless steel  
 Color of frame : Stainless steel  
 Approval certificates : CE  
 Length of electrical supply cord (cm) : 100  
 EAN code : 4242003742044  
 Electrical connection rating (W) : 2  
 Gas connection rating (W) : 7500  
 Current (A) : 3  
 Nominal power (kW) : 220-240  
 Frequency (Hz) : 60; 50



**iQ500**  
**EC6A5PB90**  
**60 cm, hob, Stainless steel**

#### Features

##### Design

- Easy to clean Stainless steel surface.
- Cast iron pan supports
- High efficiency burner set

##### Special features

- Step Flame technology - 9 steps
- Design co-ordinated control dials
- Ignition via control dials

##### Power and size:

- 4 burner gas hob including:
- 4 gas
- Left rear: Standard burner 1.75 KW
- Right rear: High-speed burner 3 KW
- Left front: Standard burner 1.75 KW
- Right front: Economy burner 1 KW

##### Safety Features

- Factory set for connection to mains gas
- Flame failure safety device

##### Accessories

- LPG jets (28-30/37mbar) included

##### Technical information

- Power cord length 100 cm

**60 cm, hob, Stainless steel**

