


iQ500
EC7A5RB90
75 cm, hob, Stainless steel



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ The dual wok burner with dual flame system and 5 kW of power is ideal for a wide variety of foods, even in large quantities.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Comfortable usage due to high quality control dials.
- ✓ A Siemens hob with a uniquely beautiful stainless-steel surface design.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Source of energy : Gas
 Total number of positions that can be used at the same time : 5
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492
 Width (mm) : 750
 Dimensions of the product (mm) : 45 x 750 x 520
 Net weight (kg) : 15.0
 Gross weight (kg) : 16.0
 Residual heat indicator : without
 Control panel : Front
 Basic surface material : Stainless steel
 Color of surface : Stainless steel
 Color of frame : Stainless steel
 Approval certificates : CE
 Length of electrical supply cord (cm) : 100
 EAN code : 4242003676134
 Electrical connection rating (W) : 1
 Gas connection rating (W) : 12500
 Current (A) : 3
 Nominal power (kW) : 220-240
 Frequency (Hz) : 60; 50



iQ500**EC7A5RB90****75 cm, hob, Stainless steel****Features****Design**

- Easy to clean Stainless steel surface.
- Cast iron pan supports
- High efficiency burner set

Special features

- Step Flame technology - 9 steps
- Design co-ordinated control dials
- Ignition via control dials

Power and size:

- 5 burner gas hob including:
- 1 dual control wok burner
- 4 gas + wok (center DUAL)
- Left rear: Standard burner 1.75 KW
- Right rear: High-speed burner 3 KW
- Center: wok burner 5 KW
- Left front: Economy burner 1 KW
- Right front: Standard burner 1.75 KW

Safety Features

- Factory set for connection to mains gas
- Flame failure safety device

Accessories

- LPG jets (28-30/37mbar) included

Technical information

- Power cord length 100 cm

