

Serie | 6 Microwave oven**HMT84M654B brushed steel**
Compact microwave oven

- **AutoPilot 7:** every dish is a perfect success thanks to 7 pre-set automatic programmes.
- **Frameless design:** easy installation, harmonious integration into the kitchen furniture and easy to clean.
- Create a contemporary finish to your kitchen with a black glass front.
- **Side-opening door:** convenient opening thanks to left-hinged door.
- **Frameless design:** easy installation, harmonious integration into the kitchen furniture and easy to clean.

Technical Data

Type of micro-wave oven :	MW only
Type of control :	Electronic
Color / Material Front :	Stainless steel
Dimensions of the product (mm) :	382 x 594 x 388
Cavity dimensions (mm) :	208.0 x 328.0 x 369.0
Length of electrical supply cord (cm) :	130
Net weight (kg) :	18.0
Gross weight (kg) :	20.0
EAN code :	4242002788722
Maximum micro-wave power (W) :	900
Connection rating (W) :	1450
Current (A) :	10
Voltage (V) :	230-240
Frequency (Hz) :	50
Plug type :	GB plug



4 242002 788722

Serie | 6 Microwave oven

HMT84M654B brushed steel **Compact microwave oven**

Key features

- Electronic control

Design

- 1 retractable control dial
- Push buttons
- Left hinged door
- Side opening door with viewing window

Features

- Electronic clock timer
- 1 interior light
- Stainless steel interior

Programmes/functions

- microwave
- 4 weight automatic defrost programmes
- 1 memory function


Performance/technical information

- Large 25 litre stainless steel interior
- Turntable distribution
- 315 mm turntable diameter
- 5 power levels: 900 W, 600 W, 360 W, 180 W, 90 W
- User-friendly electronics: extremely easy and comfortable operation
- installation in tall housing


Serie | 6 Microwave oven

HMT84M654B brushed steel Compact microwave oven

Microwave,
corner installation




Measurements in mm




* 20 mm for metal fascias

measurements in mm



* 20 mm for metal fascias

measurements in mm



measurements in mm