

Serie | 4 Fridge-Freezer-Combination

Fridge freezer KGV36VL32G Stainless steel look


A++

The bottom freezer with A++ rating and VitaFresh Box: very efficient- keeps your fruits and vegetables fresh longer.

- **Energy efficiency class A++:** cools especially efficiently.
- **VitaFresh Box:** fruits and vegetables stay fresh longer, thanks to humidity control.
- **LowFrost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.
- **LED lighting** - with soft start, lasts for the lifetime of the appliance.
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.

Technical Data

Construction type :	Freestanding
Door panel options :	Not possible
Height (mm) :	1860
Width (mm) :	600
Depth of the product :	650
Net weight (kg) :	73.0
Connection rating (W) :	90
Current (A) :	10
Door hinge :	Right reversible
Voltage (V) :	220-240
Frequency (Hz) :	50
Approval certificates :	VDE
Length of electrical supply cord (cm) :	240
Storage Period in Event of Power Failure (h) :	23
Number of compressors :	1
Number of independent cooling systems :	1
Interior ventilator :	No
Reversible Door Hinge :	Yes
Number of Adjustable Shelves in fridge compartment (Stck) :	2
Shelves for Bottles :	Yes
EAN code :	4242002799827
Brand :	Bosch
Product name / Commercial code :	KGV36VL32G
Energy efficiency :	A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :	226
Refrigerator Net capacity (l) - NEW (2010/30/EC) :	214
Freezer Net capacity (l) - NEW (2010/30/EC) :	94
Frost free system :	No
Temperature rise time (h) :	23
Freezing capacity (kg/24h) - NEW (2010/30/EC) :	7
Climate class :	SN-T
Noise level (dB) :	39
Installation type :	N/A

Included accessories

3 x egg tray
1 x ice cube tray with lid



4 242002 799827

Serie | 4 Fridge-Freezer-Combination

Fridge freezer

KGV36VL32G

Stainless steel look

The bottom freezer with A++ rating and VitaFresh Box: very efficient- keeps your fruits and vegetables fresh longer.

Dimension and installation

- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90 W
- Height adjustable front feet
- Dimensions: 186 cm H x 60 cm W x 65 cm D

Performance and Consumption

- Energy efficiency class: A++ (226 kWh per year). Actual consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 308 litres
- Net fridge capacity: 214 litres
- Net freezer capacity: 94 litres
- Noise level dB(A) re 1 pW: 39

Design features

- Stainless steel look doors and chrome inox metallic side panels
- High-door design, Cambered door
- LED electronic control
- Integrated vertical handle
- Right hinged door, door reversible
- Removable magnetic door seals - easy to clean

Food freshness system

- 1 compressor

Key features - Fridge section

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer
- Bright interior LED fridge light
- 4 safety glass shelves in fridge compartment of which 2 are height adjustable
- Door trays in fridge door: 1 large and 2 small.
- Metal bottle rack

Key features - Freezer section


- Manual defrost freezer
- SuperFreezing function with automatic deactivation
- 3 transparent freezer drawers, 1 BigBox
- 4 star freezer rating
- 1 ice cube tray with lid
- Freezing capacity in 24 hours: 7 kg
- Maximum freezer storage time in power failure: 23 hours

Included accessories

- 3 x egg tray, 1 x ice cube tray with lid

Serie | 4 Fridge-Freezer-Combination

Fridge freezer KGV36VL32G Stainless steel look



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1780	600	600	580	600	1200	600	690
KGV33 (outer handle)	1780	600	600	580	640	1200	600	690
KGV36NGE36 (inner handle)	1980	600	600	580	600	1200	600	690
KGV36NGE36 (outer handle)	1980	600	600	580	640	1200	600	690

Symbolization	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing plate
d	Colored depth without flexible spacing plate
e	Depth with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing plate
g	Depth with door closed, with handle and without flexible spacing plate
h	Depth with door closed, without handle and with flexible spacing plate

measurements in mm