


Serie | 6 Hobs

**PVW851FB1E Three sided
bevelled frameless finish
802 mm**



The Induction hob: Faster than gas and ceramic hobs, induction is easier to clean and more energy efficient.

- **DirectSelect:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **CombiZone:** More flexibility by combining two cooking zones, for roasters and the like.
- **U-Bevel:** Elegant, appealing design with bevelled front and sides.
- **Timer with switch-off function:** Turns off the assigned cooking zone after the set time.
- **Induction:** Fast, precise cooking, easy cleaning and low energy consumption.
- **PowerBoost:** Up to 50% more power for faster heating.

Technical Data

| | |
|---|------------------------|
| Product name/family : | Cooking zone ceramic |
| Installation type : | Built-in |
| Heating type : | Electric hob |
| Total number of positions that can be used at the same time : | 5 |
| Required niche size for installation (HxWxD) : | 51 x 750-750 x 490-500 |
| Width (mm) : | 802 |
| Dimensions of the product (mm) : | 51 x 802 x 522 |
| Net weight (kg) : | 16.0 |
| Gross weight (kg) : | 18.0 |
| Residual heat indicator : | Separate |
| Location of control panel : | Hob front |
| Basic surface material : | Glass ceramic |
| Color of surface : | Black |
| Approval certificates : | AENOR, CE |
| Length of electrical supply cord (cm) : | 110 |
| EAN code : | 4242002870861 |
| Electrical connection rating (W) : | 7400 |
| Voltage (V) : | 220-240 |
| Frequency (Hz) : | 60; 50 |



4 242002 870861

Serie | 6 Hobs

PVW851FB1E Three sided bevelled frameless finish 802 mm

**The Induction hob: Faster than gas and
ceramic hobs, induction is easier to clean
and more energy efficient.**

Design

- Three sided bevelled frameless finish

Special features

- 5 Induction cooking zones
- DirectSelect
- Digital display
- Variable 17-stage power settings for each zone
- Timer for all zones
 - Timer - shows how long the cooktop is in use
- HighSpeed ceramic glass
- Automatic pan recognition sensor
 - Power management options for 16A, 13A or 10A connection
 - Automatic safety shut off
 - Control panel lock
- QuickStart function
- ReStart function
- Energy consumption display
- Cable included
- Connection cable (1.1 M)
- Connected load: 7.4 kW

Power and size:

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 240 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction
- Min. worktop thickness: 30 mm

Safety Features

- 2 stage residual heat indicator for each zone
- Main on/off switch

Quickness:

- PowerBoost function for all zones

Serie | 6 Hobs

**PVW851FB1E Three sided bevelled
frameless finish
802 mm**

