

Serie | 6 Dishwashers

SMV68MD01G

Dishwasher 60cm Fully integrated DoorOpen Assist - perfectly designed for kitchens without handles



| Water 9,5 L | VarioSpeed Plus | VarioDrawer | Timer | /: /: Di TimeLight |
|----------------|-----------------|-------------|-------------------------|-----------------------------|
| Program | <u> </u> | OpenAssist | Machine Care Program | 39 dB |

Exceptionally quiet dishwasher SuperSilence Plus with Silence program.

- ExtraDry: extra drying option for difficult-to-dry loads.
- Silence Program and SuperSilence Plus: exceedingly quiet at 39dB, more so with the Silence program.
- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- VarioFlex-baskets and VarioDrawer: enhanced flexibility options with more space on all levels.
- **TimeLight:** program status and remaining time clearly displayed on floor in high resolution.

Technical Data

| lecinical Data | | | | |
|--|--------------------------|--|--|--|
| Water consumption (I) : | 9.5 | | | |
| Construction type : | Built-in | | | |
| Height of removable worktop (mm) | : 815 | | | |
| Required niche size for installation (HxWxD) : | | | | |
| | 815-875 x 600 x 550 | | | |
| Depth with open door 90 degree (m | ım): 1150 | | | |
| Adjustable feet : | Yes - front only | | | |
| Maximum adjustability feet (mm) : | 60 | | | |
| Adjustable plinth : both horizontal and vert | | | | |
| Net weight (kg) : | | | | |
| Gross weight (kg) : | 49.0 | | | |
| Connection rating (W) : | 2400 | | | |
| Current (A) : | 13 | | | |
| Voltage (V) : | 220-240 | | | |
| Frequency (Hz) : | 50; 60 | | | |
| Length of electrical supply cord (cm | n): 175 | | | |
| Plug type : | GB plug | | | |
| Length inlet hose (cm) : | 165 | | | |
| Length outlet hose (cm) : | 190 | | | |
| EAN code : | 4242005041541 | | | |
| Number of place settings : | 14 | | | |
| Energy efficiency : | A+ | | | |
| Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : | | | | |
| | 299 | | | |
| Energy consumption (kWh) : | 1.05 | | | |
| Power consumption in left-on mode (W) - NEW (2010/30/EC) : | | | | |
| | 0.50 | | | |
| Power consumption in off-mode (W) | - NEW (2010/30/EC): 0.50 | | | |
| Water consumption annual (I/annum) - NEW (2010/30/EC) : | | | | |
| | 2660 | | | |
| Drying performance : | А | | | |
| Reference programme : | Eco | | | |
| Total cycle time of reference programme (min) : | | | | |
| Noise level (dB) : | 39 | | | |
| Installation type : | Integrated | | | |
| | | | | |



Optional accessories

SMZ5001 : Baby care kit SMZ5005 : Compensating + fixing kit, stainl. steel SMZ5100 : Vario-cutlery basket



Serie | 6 Dishwashers

SMV68MD01G

Dishwasher 60cm

Fully integrated DoorOpen Assist - perfectly designed for kitchens without handles

Exceptionally quiet dishwasher SuperSilence Plus with Silence program.

Performance

- Energy Efficiency Class: A+
- Capacity: 14 place settings. VarioDrawer on 3rd level
- Energy consumption in Eco 50 programme: 299 kWh per year, based on 280 standard cleaning cycles
- Water consumption in Eco 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 39 dB
- Noise level (silence programme): 37 dB(A) re 1 pW
- Energy consumption in Eco 50 programme: 1.05 kWh
- Water consumption in Eco 50 programme: 9.5 litres

Programmes/functions

- 8 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, 1 Hour 65 °C, Quick 45 °C, Pre rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Hygiene Plus, Extra Dry
- Machine Care Programme
- 5 temperatures

Flexible design elements

- VarioFlex basket system
- Silver baskets with Bosch branded handle
- VarioDrawer loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket, and 2 foldable cup racks in bottom basket
- 2 foldable cup shelves in top basket and 2 foldable cup racks in bottom basket

Innovations and technology

- DoorOpen Assist perfectly designed for kitchens without handles
- Heat exchanger Hygienic and efficient drying
- DosageAssist detergent dispenser
- Automatic detergent detection
- ActiveWater hydraulic water system
- EcoSilence BLDC drive
- AquaSensor III, Load Sensor
- AquaMix Glass protection system
- AquaStop anti flood device with guarantee
- Curved spray arms Optimum water distribution

Design features


- Touch Control (metallic)
- DoorOpen Assist perfectly designed for kitchens without handles
- Push button top edge controls
- Acoustic end of cycle indicator, Time remaining indicator (min), TimeLight - White light projection on floor, water inlet indicator
- TimeLight White light projection on floor
- Electronic time delay: 1-24 hours with Acoustic end of cycle indicator, water inlet indicator
- ChildLock double push to open
- Push button top edge controls
- Stainless steel interior
- Colour of indicators: red/white
- LED salt refill indicator, LED rinse aid refill indicator
- Alternating spray arms
- ChildLock double push to open
- Large item spray head, steam protection plate
- Self-cleaning filter system with 3 piece corrugated filter
- Acoustic end of cycle indicator
- Front-adjustable rear foot
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Efficiency information relates to the Eco 50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.



Serie | 6 Dishwashers

SMV68MD01G

Dishwasher 60cm Fully integrated DoorOpen Assist - perfectly designed for kitchens without handles



measurements in mm