

**Serie | 6, Heat pump tumble dryer, 9 kg  
WQG24509GB**

**A++**



**The heat pump dryer with A++ and SelfCleaning condenser saves energy and its AutoDry sensor knows when your load is ready, protecting your garments.**

- **SelfCleaning Condenser:** keep the condenser free of fluff to maintain A++ energy efficiency.
- **AutoDry:** automatically dries to the exact level of dryness you require.
- Fast drying within 40 minutes, suitable for small loads of synthetic fibres and thin fabrics.
- **AntiVibration Design:** extremely stable and very quiet thanks to special vibration protection.
- **SensitiveDrying System:** for gentle drying without wrinkles.

**Technical Data**

Construction type : Free-standing  
 Removable work top : No  
 Door hinge : Right  
 Length of electrical supply cord : 145.0 cm  
 Height of removable worktop : 0 mm  
 Dimensions of the product : 842 x 598 x 613 mm  
 Net weight : 56.4 kg  
 Fluorinated greenhouse gases : No  
 Type of refrigerant : R290  
 Hermetically sealed equipment : Yes  
 Quantity of fluorinated gases : 0.149 kg  
 The quantity expressed in CO2 equivalent : 0.000 t  
 EAN code : 4242005317769  
 Connection rating : 800 W  
 Fuse protection : 10 A  
 Voltage : 220-240 V  
 Frequency : 50 Hz  
 Approval certificates : CE, E17D UKCA marking, VDE  
 Capacity cotton - NEW (2010/30/EC) : 9.0 kg  
 Energy efficiency rating : A++  
 Energy consumption electric dryer, full load - NEW (2010/30/EC) : 2.05 kWh  
 Standard cotton programme time at full load : 176 min  
 Energy consumption electric dryer, partial load - NEW (2010/30/EC) : 1.25 kWh  
 Standard cotton programme time at partial load : 121 min  
 Weighted annual energy consumption, electric dryer - NEW (2010/30/EC) : 258.0 kWh/annum  
 Weighted programme time : 145 min  
 Average condensation efficiency full load (%) : 86 %  
 Average condensation efficiency partial load (%) : 86 %  
 Weighted condensation efficiency (%) : 86 %

**Optional accessories**

WTZ27400 : Stacking kit with pull-out shelf  
 WTZ27410 : Stacking kit



## Serie | 6, Heat pump tumble dryer, 9 kg WQG24509GB

**The heat pump dryer with A++ and SelfCleaning condenser saves energy and its AutoDry sensor knows when your load is ready, protecting your garments.**

### Performance

- Energy Efficiency Class<sup>1</sup>: A++
- Energy<sup>2</sup>: 258 kWh
- Capacity: 1 - 9 kg
- Programme time<sup>3</sup>: 176 min
- Noise level: 64 dB (A) re 1 pW
- Condensation efficiency class<sup>4</sup>: B
- Condensation efficiency<sup>5</sup>: 86 %

### Programmes/functions

- Touch control buttons: Iron dry, Cupboard dry, Cupboard dry +, end Time Delay, Reduced ironing, Low heat, Buzzer, Start / Reload / Pause, 24 h end Time Delay
- Standard programmes: cotton, easy care
- Special programmes: Cottons, Shirts/blouses, Cotton Eco, Down, Delicates, Towels, Mixed Load, Super Quick 40, Sportswear, Duvet, Easy-Care, Woollens, Timed programme warm

### Key features

- Anti crease cycle 60 min at the end of the programme
- Fully electronic control dial for sensor programmes and timed programmes
- Half Load option: optimises drying for smaller loads
- Sensitive drying: large stainless steel drum with textile care and revolution drying system
- AntiVibration design: for greater stability and quietness

### Additional features

- Large LED display for remaining time and 24 hours time delay, programme progress indication and special functions
- Load recommendation
- Soft dial
- Heat pump technology with climate friendly cooling agent
- Drum interior light
- Container for condensed water
- Door hinge: right-hand
- Metal door catch
- Child lock
- Buzzer to indicate the end of cycle

### Technical Information

- slide-under installation
- Dimensions (H x W): 84.2 cm x 59.8 cm
- Appliance depth: 61.3 cm
- Appliance depth incl. door: 64.8 cm
- Appliance depth with open door: 109.6 cm

<sup>1</sup> At a range of energy efficiency classes from A+++ to D


<sup>2</sup> Energy consumption kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low power modes

<sup>3</sup> Programme time of the standard cotton programme at full load

<sup>4</sup> On a condensation efficiency class scale from A to G

<sup>5</sup> Weighted condensation efficiency for the standard cotton programme at full and partial load

**Serie | 6, Heat pump tumble dryer, 9 kg  
WQG24509GB**



measurements in mm

